



**KiilTO
PRO**

nora[®]
by Interface[®]

nora[®] noraplan acoustic
rubber floor

CARE INSTRUCTIONS

A new nora[®] rubber floor requires careful initial cleaning after installation. Do not wash the floor before the adhesive used to glue the floor is completely dry. Do not clean the floor before two days from the installation.

Site cleaning must be completed before initial cleaning.

Site cleaning removes construction dust and other dirt from the construction work.

INITIAL CLEANING

- 1 Carefully Hoover or wipe dirt from the surfaces.
 - 2 Clean the floor with a scrubber dryer using **Kiilto Rosita**, dosage 5 ml per 1 l of water.
 - 3 Apply **Sartek 2** solution to the floor. Prepare the solution with hot water. Let sit for 5–10 minutes.
 - 4 Clean the floor with a floor maintenance machine using a blue pad.
 - 5 Remove the detergent solution with a scrubber dryer or a wet vacuum cleaner. Rinse the floor well. Clean the floor with a combination dryer using clean water until clean. When using a manual technique, carefully wet or dry mop the floor. Remove the solution with a water vacuum cleaner. Repeat the process, when necessary.
- Do not wax the floor.**

MAINTENANCE CLEANING

Kiilto Teho A 100, dosage 2–4 ml per 1 litre of water. You can use damp or wet mopping as a manual method, depending on the dirtiness. Use of a scrubber dryer is recommended, when possible.

BASIC CLEANING

Basic cleaning should be done when there is stubborn dirt on the floor that cannot be removed with maintenance cleaning. For basic cleaning, use **Kiilto Teho A 100** detergent with the dosage of 100 ml per 1 l of hot water and a red pad. The working method is the same as in initial cleaning. Let sit for 5–10 minutes, depending on the dirtiness.

STAIN REMOVAL

In case of hard to remove stains, please contact a Kiilto expert.



KIILTO TEHO A 100
General cleaner

For maintenance and basic cleaning of rubber floors. Scented, efficient multi-purpose detergent. Solution pH approx. 9.5.



KIILTO SARTEK 2
Grease and oil remover

For initial cleaning of rubber floors. Very efficient, fragrance-free. Solution pH approx. 12.



KIILTO ROSITA
General cleaner

For removing construction dust. Solution pH approx. 5.5.

	DETERGENT	DOSAGE
Removing construction dust	Kiilto Rosita	5 ml per 1 l of water
Initial cleaning	Kiilto Sartek 2	150 ml per 1 L of hot water
Maintenance cleaning	Kiilto Teho A 100	2-4 ml per 1 l of water
Basic cleaning	Kiilto Teho A 100	100 ml per 1 l of hot water